

L Number	Hits	Search Text	DB	Time stamp
1	437	((compar\$4) with (address addresses ID identifier) with (unique\$2 different) with (mobile cellular cell radio wireless))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:27
2	8	((compar\$4) with (address addresses ID identifier) with (unique\$2 different) with (temporary short\$4 TMSI) with (mobile cellular cell radio wireless))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 13:46
4	683	((455/343.1).CCLS.) ((455/343.3).CCLS.) ((340/7.35).CCLS.) ((340/7.32).CCLS.)	USPAT; US-PGPUB	2004/05/12 14:29
5	2	((compar\$4) with (address addresses ID identifier) with (unique\$2 different) with (mobile cellular cell radio wireless))) and (((455/343.1).CCLS.) ((455/343.3).CCLS.) ((340/7.35).CCLS.) ((340/7.32).CCLS.))	USPAT; US-PGPUB	2004/05/12 14:29
3	37	((compar\$4) with (address addresses ID identifier) with (unique\$2 different) with (mobile cellular cell radio wireless))) and 455/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:35
7	2	((chang\$4 rearrang\$4 shorten) near5 ((mobile cellular portable \$4phone) near3 (ID identifier address\$2) MSISDN MIN)) and (((455/343.1).CCLS.) ((455/343.3).CCLS.) ((340/7.35).CCLS.) ((340/7.32).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:39
8	585	((chang\$4 rearrang\$4 shorten) near5 ((mobile cellular portable \$4phone) near3 (ID identifier address\$2) MSISDN MIN)) and 455/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:39
11	66	((chang\$4 rearrang\$4 shorten) near5 ((mobile cellular portable \$4phone) near3 (ID identifier address\$2) MSISDN MIN)).ab.) and (455/\$ 340/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:44
-	406	(455/343.1).CCLS.	USPAT; US-PGPUB	2004/05/09 17:08
-	76	(455/343.3).CCLS.	USPAT; US-PGPUB	2004/05/09 17:08
-	82	(340/7.35).CCLS.	USPAT; US-PGPUB	2004/05/09 17:09
-	167	(340/7.32).CCLS.	USPAT; US-PGPUB	2004/05/09 17:09
-	11	((address addresses ID identification adj number) with (vary\$3 variable dynamic chang\$4) with (length bit byte)) and (((455/343.1).CCLS.) ((455/343.3).CCLS.) ((340/7.35).CCLS.) ((340/7.32).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 17:17
-	35	((address addresses ID identification adj number) same (vary\$3 variable dynamic chang\$4) same (length bit byte)) and (((455/343.1).CCLS.) ((455/343.3).CCLS.) ((340/7.35).CCLS.) ((340/7.32).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 17:18
-	429	((address addresses ID identification adj number) near3 (length bit byte)) with (vary\$3 variable dynamic chang\$4)) with (short\$4 partial part)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 17:24

-	11	variable adj address adj length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 18:13
-	161	(((((address addresses ID identification adj number) near3 (length bit byte)) with (vary\$3 variable dynamic chang\$4))))).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 18:15
-	4	(((((address addresses ID identification adj number) near3 (length bit byte)) with (vary\$3 variable dynamic chang\$4))))).ti.) and (455/\$ 370/\$ 340/\$ 379/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 18:17
-	40	(((((address addresses ID identification adj number) near3 (length bit byte)) with (vary\$3 variable dynamic chang\$4)) with (short\$4 partial part)) and (455/\$ 370/\$ 340/\$ 379/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 12:54
-	706	(((((address addresses ID identification adj number) near3 (length short\$2 vary\$3 variable dynamic chang\$5)) same (mobile \$4phone MS radio ((personal communication wireless) adj3 (device module)))) same (BS base adj station)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 16:17
-	105	(((((address addresses ID identification adj number) near3 (length short\$2 vary\$3 variable dynamic chang\$5)) same (mobile \$4phone MS radio ((personal communication wireless) adj3 (device module)))) same (BS base adj station))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 13:05
-	181	(((((address addresses ID identification adj number) near3 (length short\$2 vary\$3 variable dynamic chang\$5)) same (mobile \$4phone MS radio ((personal communication wireless) adj3 (device module)))) same (BS base adj station)) same (assign\$5 determin\$5 allocat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 19:01
-	35	(((((assign\$4 determin\$4 select\$4) with (address ID number) with (part partial)) with (list table)).ab.) and (455/\$ 370/\$ 240/\$ 379/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 19:05
-	450	((((assign\$4 determin\$4 select\$4) with (address ID addresses) with (part partial)) with (list table)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 19:11
-	8	((((assign\$4 determin\$4 select\$4) with (address ID addresses) with (part partial)) with (list table)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 19:14
-	10	((((assign\$4 determin\$4 select\$4) with (address ID addresses) with (part partial)) and (((455/343.1).CCLS.) ((455/343.3).CCLS.) ((340/7.35).CCLS.) ((340/7.32).CCLS.))	USPAT; US-PGPUB	2004/05/10 19:20
-	679	partial adj address	USPAT; US-PGPUB	2004/05/10 19:20
-	4	(partial adj address) and (((455/343.1).CCLS.) ((455/343.3).CCLS.) ((340/7.35).CCLS.) ((340/7.32).CCLS.))	USPAT; US-PGPUB	2004/05/10 19:26
-	11	(partial adj address) near3 unique	USPAT; US-PGPUB	2004/05/10 19:42
-	3	(partial adj address) with ((base and mobile) adj station)	USPAT; US-PGPUB	2004/05/10 19:43

-	3	(partial adj address) with ((base and mobile) adj station)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 19:43
-	3	(partial adj address) same ((base and mobile) adj station)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 19:44
-	84	(partial adj address) with (list table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 19:48
-	1	temporary adj (ID identifier) same ((part partial) near3 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 19:51
-	74	temporary adj (ID identifier address) same ((part partial) near3 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 20:02
-	14	((select\$4 determin\$4 assign\$4) same ((part partial) near3 address)) and (((455/343.1).CCLS.) ((455/343.3).CCLS.) ((340/7.35).CCLS.) ((340/7.32).CCLS.))	USPAT	2004/05/10 20:08
-	687	variable near3 address near3 length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 20:09
-	15	determine with variable near3 address near3 length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 20:15
-	176	determine near3 address near3 length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 20:15
-	2	(determine near3 address near3 length) and (((455/343.1).CCLS.) ((455/343.3).CCLS.) ((340/7.35).CCLS.) ((340/7.32).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:28
-	2	((determin\$4 select\$4 assign\$4) near3 (address addresses ID identifier) near3 length) and (((455/343.1).CCLS.) ((455/343.3).CCLS.) ((340/7.35).CCLS.) ((340/7.32).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:29
-	173	((determin\$4 select\$4 assign\$4) near3 (address addresses ID identifier) near3 length) and (455/\$ 370/\$ 379/\$ 340/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:35
-	43	((determin\$4 select\$4 assign\$4) with temporary with (address addresses ID identifier) with length)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:36

-	36	((determin\$4 select\$4 assign\$4) with temporary with (address addresses ID identifier) with slot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:40
-	9	((determin\$4 select\$4 assign\$4) with temporary with (address addresses ID identifier) with slot with (unique different))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:09
-	14	(temporary with (address addresses ID identifier) with slot with (unique different))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:14
-	4	((temporary with (address addresses ID identifier) with slot with (unique different))) not (((determin\$4 select\$4 assign\$4) with temporary with (address addresses ID identifier) with slot)) ((determin\$4 select\$4 assign\$4) with temporary with (address addresses ID identifier) with slot with (unique different)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:10
-	102	(((address addresses ID identifier) with slot with (unique different))) and 455/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:15
-	167	(((sort\$3 order\$3 rank\$3 categor\$6 group\$4) with (address addresses ID identifier) with slot with (unique different))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:41
-	170	(((sort\$3 order\$3 rank\$3 categor\$6 group\$4) with (address addresses ID identifier) with slot with (mobile cellular cell radio wireless))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:42
-	28	(((sort\$3 order\$3 rank\$3 categor\$6 group\$4) with (address addresses ID identifier) with slot with (mobile cellular cell radio wireless)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:47
-	4	(((sort\$3 order\$3 rank\$3 categor\$6 group\$4) with temporary with (address addresses ID identifier) with slot with (mobile cellular cell radio wireless))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:57
-	4	(((sort\$3 categor\$6 group\$4) with temporary with (address addresses ID identifier) with slot with (mobile cellular cell radio wireless))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:58
-	91	(((sort\$3 categor\$6 group\$4) with (address addresses ID identifier) with slot with (mobile cellular cell radio wireless))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:00
-	17	(((sort\$3 categor\$6 group\$4) with (address addresses ID identifier) with slot with (unique\$2 different) with (mobile cellular cell radio wireless))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:03

-	12	((sort\$3) with (address addresses ID identifier) with slot with (mobile cellular cell radio wireless))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:01
-	11	((sort\$3) near5 (list table) near5 (address addresses ID identifier) near5 (slot frame burst))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:15
-	5	((sort\$3) with (address addresses ID identifier) with frame with (mobile cellular cell radio wireless))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:01
-	16	((sort\$3 categor\$6 group\$4) with (address addresses ID identifier) with frame with (unique\$2 different) with (mobile cellular cell radio wireless))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 13:44
-	126	((assign\$3 determin\$3) with (address\$2 ID identifier) with (list table database) with ((mobile radio portable wireless) adj2 (station device apparatus terminal) "MS") with (base adj station "BS"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 19:18
-	4	((assign\$3 determin\$3) with (short\$4 temporary) with (address\$2 ID identifier) with (list table database) with ((mobile radio portable wireless) adj2 (station device apparatus terminal) "MS") with (base adj station "BS"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 19:42
-	10	((assign\$3 determin\$3) with (partial part portion) with (address\$2 ID identifier) with (list table database) with ((mobile radio portable wireless) adj2 (station device apparatus terminal) "MS") with (base adj station "BS"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 19:52
-	44	((partial part portion) with (address\$2 ID identifier) with (list table database) with ((mobile radio portable wireless) adj2 (station device apparatus terminal) "MS") with (base adj station "BS"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 20:03
-	34	(((partial part portion) with (address\$2 ID identifier) with (list table database) with ((mobile radio portable wireless) adj2 (station device apparatus terminal) "MS") with (base adj station "BS"))) not ((assign\$3 determin\$3) with (partial part portion) with (address\$2 ID identifier) with (list table database) with ((mobile radio portable wireless) adj2 (station device apparatus terminal) "MS") with (base adj station "BS"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 19:52
-	262	((partial part portion) with (address\$2 ID identifier) with (list table database) and 455/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 20:03
-	79	((assign\$4 select\$4 determin\$4 choos\$4 chose\$2 associat\$4) with (partial part portion) with (address\$2 ID identifier) with (list table database) and 455/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 20:12
-	0	20020061757.URPN.	USPAT	2004/05/11 20:09
-	3	((assign\$4 select\$4 determin\$4 choos\$4 chose\$2 associat\$4) with (partial part portion) with (temporary short\$4 virtual) with (address\$2 ID identifier) with (list table database) and 455/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 20:29

-	3	list near3 mobile near3 address with (short\$4 temporary partial part portion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 20:30
---	---	--	---	------------------